




## 霍尔接近开关


HALÚY ...Ş ó' W<sup>2</sup> · | ...<sup>a</sup> < d  
Ê [ š Í - v ā \_ ` ' Wq NF Š ¼< | J Ü  
Ý Eb \ Eµ' EÍ UEK õ Mf ê Øµ × wF  
~ š œÿ Í P à " [ E ā \_ ê « E Â P " [ Eİ  
ö ° ç × k Ö ^ â º é Øµ " [ Eā \_ ` Ê L  
ë y × ® Í Ê ~ O™q NF



### 主要特点

- p < É 50KHZF
- ú z € P Û CE 0.02mmF
- r ‡ z P ° ' WÐ - j \_ F
- † R í c , ì ñ â ] " F
- ¢ %Ÿ â ] " i — ý f n F
- { Ö T E ^ a º † R È - ¢ Ó Ā F
- i Mo ß Ö " [ q PC Í š š h F


		'')E''#E''/'													
		Ł~/			Ž~/			Ł~/		Ž~/		ŁŁ~		ŽŽ~	
		#	%	\$	#	%	\$	#	%	#	%	#	%	#	%
Í Ä Í	. 758	Ł	ž	Ł	Ł	ž	Ł	Ł	ž	Ł	ž	Ł	ž	Ł	ž
C	. 70	!	fř	/fl	!	fř	/fl	!	fř	!	fř	!	fř	!	fi
ì ñ Í ¾ (96 7"~	/~	/~						Ł~							
° ç ì Ò Q	*&#< ž; fl	*&#< ž; fl						*&#< ž; fl							
† R í Ô 77	Ł	Ž"ll			Ł	Ž"ll			Ł	Ž"ll					
¶ —o À Á T E	3	3		3	3		3	3	3	3	3	3	3	3	
" ç " '	&/"iE &"/E &/"fi	&/"i													



ò X ® ' ?	* +*	* +*E +* +
† R ã Ć à	“fl” > ° žł>	
s	@	“/ł> ° ž~>

· ½ i E HHK ^ ' HHB ^ p HHZ ā ü  
 /E ' Ç Z x ± á ò X ¶ —u H \* +\*  
 fE × Ó Å i M¥ Æ l > è » ø à F  
 fE í þ ý Ć ł~27 l i ¥ l > è » © S

接线图



0 \* +\* ò X l i ñ ô § 1 ~ +\* + ò X l i ñ ô 2 ~ \* +\* v l « } í i ô §  
 3 ~ \* +\* v l a m i " Ñ ô § 4 ~ \* +\* v l g m i " Ñ ô §

外形尺寸和引线标识

